



NAVAL DESIGN

P222 | SHUTTLE 30 RoRo



Length Overall	31.00m
Beam	11.35m
Hull Draught	1.20m
Main Propulsion	2 x 1000 Bhp
	Shaft & Prop
Max. Speed	10-15 knots
Fuel Capacity	5000 L
Crew & PAX	6 + 150
Classification	Lloyd Inland
	Waters

Introducing the Shuttle 30 RoRo ferry - the perfect solution for efficient transportation across inland waterways. Constructed with durable steel, this ferry is designed to connect people, cargo, and road transport seamlessly.

With the ability to carry trucks, small vehicles, and passengers all at once, the Shuttle 30 RoRo ferry offers a versatile transportation option for all types of cargo and passengers. It's the perfect solution for transporting goods or equipment between two points without the need for lengthy detours or congested roads.

The Shuttle 30 RoRo ferry is optimized for day-time operation and can run multiple trips per day, making it a reliable and efficient choice for businesses and individuals who need to transport goods or passengers quickly and safely.

The design of the Shuttle 30 RoRo ferry ensures that loading and unloading are easy and efficient, saving valuable time and reducing the risk of damage to cargo. It also features a spacious and comfortable passenger area, providing a relaxing and enjoyable journey for those on board.



<https://www.facebook.com/kndnavaldesign/>



<https://www.instagram.com/kndnaval/>

www.navaldesign.co.za

info@navaldesign.co.za